



133 Charter Place, LaVergne, TN 37086  
 Phone: (615)280-7489  
 Email: QC1@fandbcosmetics.com

## *Certificate of Analysis*

<i>Customer</i>	<b><i>Briteway/Amway</i></b>
<i>Product Name</i>	<b><i>CBD Spray 250mg/2oz.</i></b>
<i>Batch No./Lot No</i>	<b><i>B20B08C/0086C</i></b>

### ***Physical Testing***

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Liquid	Conforms
Color	Visual	Translucent	Conforms
Odor	Organoleptic	Menthol	Conforms
CBD Value	UL DOC#8070	≥250mg	306.8mg
D9 THC Value	UL DOC#8070	0.30% or less	<0.02%
Specific Gravity	In House	0.950-0.999	0.991

### ***Microbiological Testing, Pathogenic***

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	<100 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	<100 CFU/g	<10 CFU/g
Total Coliforms	BAM CH3	<100 CFU/g	<3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	<100 CFU/g or Absent/1g	Absent/1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

***Pesticides Screen***

<b>Test ID</b>	<b>Test Analysis</b>	<b>Result, ppm</b>	<b>LOD</b>	<b>Specification</b>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	<0.10ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	<0.10ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	<0.10ppm	0.50 ppm	≤0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	<0.10ppm	0.10 ppm	≤0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	<0.10ppm	0.50 ppm	≤0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	<0.10ppm	0.10 ppm	≤0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	<0.10ppm	0.10 ppm	≤0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	<0.10ppm	0.10 ppm	≤0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	<0.10ppm	0.10 ppm	≤0.18 ppm

Note: ND= Not Detected LOD=Limit of Detection ppm=Parts per million

## ***Heavy Metals***

<b>Test ID</b>	<b>Test Analysis</b>	<b>Result, ppm</b>	<b>LOD ppb</b>	<b>Specification</b>
ICP-MS CTN 6339 & 6341	Arsenic	<0.05ppm	0.1-0.5ppb	<1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	<0.01ppm	0.1-0.5ppb	<0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	<0.05ppm	0.1-0.5ppb	<0.2ppm
ICP-MS CTN 6339 & 6341	Lead	<0.01ppm	0.1-0.5ppb	<0.5ppm

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

ppm=Parts per Million

## ***Mycotoxin Testing***

<b>Test ID</b>	<b>Test Analysis</b>	<b>Result</b>	<b>LOD</b>
Neogen Kits	Aflatoxin	<5 ppb	5 ppb
Neogen Kits	Ochratoxin	3.6 ppb	2 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

Storage	Room Temperature
Date of Manufacture	03/26/2020
Date of Expiration	03/26/2022

---

### ***Reviewed by***

Kimberly Taylor

*Quality Control Manager*

---

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.



133 Charter Place, LaVergne, TN 37086  
 Phone: (615)280-7489  
 Email: QC1@fandbcosmetics.com

## *Certificate of Analysis*

<i>Customer</i>	<b><i>Briteway/Amway</i></b>
<i>Product Name</i>	<b><i>CBD Spray 250mg/2oz (FNB-9464-A)</i></b>
<i>Batch/Lot No.</i>	<b><i>B20F09A/0308C</i></b>

### *Physical Testing*

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Liquid	Conforms
Color	Visual	Opaque to light white	Conforms
Odor	Organoleptic	Characteristic Menthollic	Conforms
CBD Value	UL DOC#8070	≥270mg	279mg/unit
D9 THC Value	UL DOC#8070	≤ 0.30%	<0.02%
Specific Gravity	In House	0.970-1.03	0.991

### *Microbiological Testing, Pathogenic*

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 100 CFU/g	< 10 CFU/g
Yeast and Mold	USP <61>	< 100 CFU/g	< 10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	< 3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Absent/1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

### ***Pesticides Screen***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD</i>	<i>Specification</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	< 0.10ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	< 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	< 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	< 0.10 ppm	0.10 ppm	≤ 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	< 0.10 ppm	0.10 ppm	≤ 0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	< 0.10 ppm	0.10 ppm	≤ 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	< 0.10 ppm	0.10 ppm	≤ 0.18 ppm

Note: ND=Not Detected

LOD=Limit of Detection

ppm=Parts per Million

### ***Heavy Metals***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD, ppb</i>	<i>Specification</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 0.10 ppm	0.1 – 0.5 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.02 ppm	0.1 – 0.5 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.10 ppm	0.1 – 0.5 ppb	< 0.2 ppm

ICP-MS CTN 6339 & 6341	Lead	< 0.02 ppm	0.1 – 0.5 ppb	< 0.5 ppm
---------------------------	------	------------	---------------	-----------

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

### ***Mycotoxin Testing***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result</i>	<i>LOD</i>	<i>Specification</i>
Neogen Kits	Aflatoxin	< 5 ppb	5 ppb	< 20 ppb
Neogen Kits	Ochratoxin	< 2 ppb	2 ppb	< 20 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room Temperature</i>
Date of Manufacture	11/3/2020

---

### ***Reviewed by***

Kimberly Taylor  
*Quality Control Manager*

---

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.

---



133 Charter Place, LaVergne, TN 37086  
 Phone: (615)280-7489  
 Email: QC1@fandbcosmetics.com

## *Certificate of Analysis*

<i>Customer</i>	<b><i>Briteway/Amway</i></b>
<i>Product Name</i>	<b><i>CBD Spray 250mg/2oz (FNB-9464-A)</i></b>
<i>Batch/Lot No.</i>	<b><i>B20F09A,B/0309C</i></b>

### *Physical Testing*

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Liquid	Conforms
Color	Visual	Opaque to light white	Conforms
Odor	Organoleptic	Characteristic Menthollic	Conforms
CBD Value	UL DOC#8070	≥270mg	271mg/unit
D9 THC Value	UL DOC#8070	≤ 0.30%	<0.02%
Specific Gravity	In House	0.970-1.03	0.998

### *Microbiological Testing, Pathogenic*

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 100 CFU/g	< 10 CFU/g
Yeast and Mold	USP <61>	< 100 CFU/g	< 10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	< 3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Absent/1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

### ***Pesticides Screen***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD</i>	<i>Specification</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	< 0.10ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	< 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	< 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	< 0.10 ppm	0.10 ppm	≤ 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	< 0.10 ppm	0.10 ppm	≤ 0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	< 0.10 ppm	0.10 ppm	≤ 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	< 0.10 ppm	0.10 ppm	≤ 0.18 ppm

Note: ND=Not Detected

LOD=Limit of Detection

ppm=Parts per Million

### ***Heavy Metals***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD, ppb</i>	<i>Specification</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 0.10 ppm	0.1 – 0.5 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.02 ppm	0.1 – 0.5 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.10 ppm	0.1 – 0.5 ppb	< 0.2 ppm



ICP-MS CTN 6339 & 6341	Lead	< 0.02 ppm	0.1 – 0.5 ppb	< 0.5 ppm
---------------------------	------	------------	---------------	-----------

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per Billion ppm=Parts per Million

### ***Mycotoxin Testing***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result</i>	<i>LOD</i>	<i>Specification</i>
Neogen Kits	Aflatoxin	< 5 ppb	5 ppb	< 20 ppb
Neogen Kits	Ochratoxin	< 2 ppb	2 ppb	< 20 ppb

Note: ND= Not Detected LOD=Limit of Detection ppb=Parts per billion

<i>Storage</i>	<i>Room Temperature</i>
Date of Manufacture	11/4/2020

---

### ***Reviewed by***

Kimberly Taylor  
*Quality Control Manager*

---

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.

---



133 Charter Place, LaVergne, TN 37086  
 Phone: (615)280-7489  
 Email: QC1@fandbcosmetics.com

## *Certificate of Analysis*

<i>Customer</i>	<b><i>Briteway/Amway</i></b>
<i>Product Name</i>	<b><i>CBD Spray 250mg/2oz (FNB-9464-A)</i></b>
<i>Batch/Lot No.</i>	<b><i>B20F09B/0310C</i></b>

### ***Physical Testing***

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Liquid	Conforms
Color	Visual	Opaque to Light White	Conforms
Odor	Organoleptic	Characteristic Menthollic	Conforms
CBD Value	UL DOC#8070	≥ 270 mg	297 mg
D9 THC Value	UL DOC#8070	≤ 0.30%	< 0.02%
Specific Gravity	In House	0.970 – 1.03	0.998

### ***Microbiological Testing, Pathogenic***

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 100 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 100 CFU/g	<10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	<3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Absent/1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

### ***Pesticides Screen***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD</i>	<i>Specification</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	< 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	< 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	< 0.10 ppm	0.10 ppm	≤ 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	< 0.10 ppm	0.10 ppm	≤ 0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	< 0.10 ppm	0.10 ppm	≤ 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	< 0.10 ppm	0.10 ppm	≤ 0.18 ppm

Note: ND=Not Detected      LOD=Limit of Detection      ppm=Parts per Million

### ***Heavy Metals***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD, ppb</i>	<i>Specification</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 0.10 ppm	0.1 – 0.5 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.02 ppm	0.1 – 0.5 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.10 ppm	0.1 – 0.5 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.02 ppm	0.1 – 0.5 ppb	< 0.5 ppm

Note: ND= Not Detected      LOD=Limit of Detection      ppb=Parts per Billion      ppm=Parts per Million

### ***Mycotoxin Testing***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result</i>	<i>LOD</i>	<i>Specification</i>
Neogen Kits	Aflatoxin	<5 ppb	5 ppb	< 20 ppb
Neogen Kits	Ochratoxin	<2 ppb	2 ppb	< 20 ppb

Note: ND= Not Detected                      LOD=Limit of Detection                      ppb=Parts per billion

<i>Storage</i>	<i>Room Temperature</i>
Date of Manufacture	11/5/2020

---

### ***Reviewed by***

Kimberly Taylor  
*Quality Control Manager*

---

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.

---



133 Charter Place, LaVergne, TN 37086

Phone: (615)280-7489

Email: QC1@fandbcosmetics.com

## *Certificate of Analysis*

<i>Customer</i>	<b>Briteway/Amway</b>
<i>Product Name</i>	<b>CBD Spray 250mg/2oz (FNB-9464-A)</b>
<i>Batch/Lot No.</i>	<b>B20F09C/0311C</b>

### ***Physical Testing***

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Appearance	Visual	Liquid	Conforms
Color	Visual	Opaque to Light White	Conforms
Odor	Organoleptic	Characteristic Menthollic	Conforms
CBD Value	UL DOC#8070	≥ 270 mg	331 mg
D9 THC Value	UL DOC#8070	≤ 0.30%	< 0.02%
Specific Gravity	In House	0.970 – 1.03	0.997

### ***Microbiological Testing, Pathogenic***

<i>Test</i>	<i>Method</i>	<i>Specification</i>	<i>Result</i>
Aerobic Count Plate	USP <61>	< 100 CFU/g	<10 CFU/g
Yeast and Mold	USP <61>	< 100 CFU/g	<10 CFU/g
Total Coliforms	BAM CH3	< 10 MPN/g	<3 MPN/g
Total Bile-Tolerant Gram-Negative Bacteria	USP <62>	Absent/1g	Absent/1g
E. Coli (O157)	USP <62>	Absent/10g	Absent/10g
Salmonella	USP <62>	Absent/10g	Absent/10g

### ***Pesticides Screen***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD</i>	<i>Specification</i>
AOAC 2007.1; CEN Standard Method EN 15662	Bifenazate	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Bifenthrin	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Cyfluthrin	< 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Etoxazole	< 0.10 ppm	0.10 ppm	≤ 0.10 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imazalil	< 0.10 ppm	0.50 ppm	≤ 0.50 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Imidacloprid	< 0.10 ppm	0.10 ppm	≤ 0.35 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Myclobutanil	< 0.10 ppm	0.10 ppm	≤ 0.15 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Spiromesifen	< 0.10 ppm	0.10 ppm	≤ 0.26 ppm
AOAC 2007.1; CEN Standard Method EN 15662	Trifloxystrobin	< 0.10 ppm	0.10 ppm	≤ 0.18 ppm

Note: ND=Not Detected      LOD=Limit of Detection      ppm=Parts per Million

### ***Heavy Metals***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result, ppm</i>	<i>LOD, ppb</i>	<i>Specification</i>
ICP-MS CTN 6339 & 6341	Arsenic	< 0.10 ppm	0.1 – 0.5 ppb	< 1.5 ppm
ICP-MS CTN 6339 & 6341	Cadmium	< 0.02 ppm	0.1 – 0.5 ppb	< 0.5 ppm
ICP-MS CTN 6339 & 6341	Mercury	< 0.10 ppm	0.1 – 0.5 ppb	< 0.2 ppm
ICP-MS CTN 6339 & 6341	Lead	< 0.02 ppm	0.1 – 0.5 ppb	< 0.5 ppm

Note: ND= Not Detected      LOD=Limit of Detection      ppb=Parts per Billion      ppm=Parts per Million

### ***Mycotoxin Testing***

<i>Test ID</i>	<i>Test Analysis</i>	<i>Result</i>	<i>LOD</i>	<i>Specification</i>
Neogen Kits	Aflatoxin	< 5ppb	5 ppb	< 20 ppb
Neogen Kits	Ochratoxin	< 2 ppb	2 ppb	< 20 ppb

Note: ND= Not Detected                      LOD=Limit of Detection                      ppb=Parts per billion

<i>Storage</i>	<i>Room Temperature</i>
Date of Manufacture	11/6/2020

---

### ***Reviewed by***

Kimberly Taylor  
*Quality Control Manager*

---

The data and information on this document represents only the sample(s) analyzed and is not to be reproduced wholly or in part without approval of the laboratory.

---